

BEST AVAILABLE COPY

please don't enter  
1/23/06 TN

FROM TREXLER ETAL.

(MON) 1.16'06 15:46/ST. 15:46/NO. 4860347825 P. 1

RECEIVED  
CENTRAL FAX CENTER

JAN 16 2006

TREXLER, BUSHNELL, GIANGIORGI, BLACKSTONE & MARR, LTD.

COUNSELORS AT LAW

THE CLARK ADAMS BUILDING

105 WEST ADAMS STREET, SUITE 3600

CHICAGO, ILLINOIS 60603-6210

(312) 704-1890

FOUNDED 1890

PATENT, TRADEMARK, COPYRIGHT  
AND RELATED MATTERS; ALL PHASES  
INCLUDING LICENSING AND LITIGATION

FAX: (312) 704-8023  
www.troxlaw.com

RICHARD R. TREXLER (1906-1995)  
RICHARD BUSHNELL (1926-2004)  
RICHARD A. GIANGIORGI  
RAIFORD A. BLACKSTONE, JR.  
DAVID J. MARR  
LINDA L. PALOMAR  
JAMES R. FOLEY  
ROBERT J. DEPKE  
JAMES A. O'MALLEY  
TIMOTHY M. MCCARTHY  
PAIGE A. KITZINGER

LEWIS T. STEADMAN, SR.  
OF COUNSEL

**FACSIMILE TRANSMISSION**

TOTAL PAGES (Including Cover Page) 10

DATE: January 16, 2006

Commissioner of Patents and Trademarks

TO: Examiner Tung X. Nguyen FROM: Mr. James R. Foley, Reg. No. 33,979

FAX NO: (571) 273-8300

FAX NO: (312) 704-8023

*If you experience any difficulty with this transmission, please call (312) 704-1890 for assistance.*

**ORIGINAL COPY AND ENCLOSURES**

       WILL BE SENT BY        MAIL        COURIER

  ✓   WILL NOT BE SENT

**NOTES:**


Inventors: Franklin Duan et al.  
For: NEW METHODOLOGY TO  
MEASURE MANY MORE  
TRANSISTORS ON THE SAME  
TEST AREA

Serial No.: 10/696,320

Art Unit: 2829

Filed: October 29, 2003

Attorney Ref.: 03-1169

  
James R. Foley, Reg. No. 33,979

**IMPORTANT NOTICE**

This transmission (including all attached pages) is intended only for the use of the named addressee(s), and may contain information that is privileged or exempt from disclosure under applicable law. **IF YOU ARE NOT A NAMED ADDRESSEE, YOU ARE HEREBY NOTIFIED THAT ANY USE, DISSEMINATION, DISTRIBUTION OR COPYING OF THIS TRANSMISSION IS STRICTLY PROHIBITED.** If you have received this transmission in error, please destroy all copies and notify us immediately at this telephone number: (312) 704-1890.